



केन्द्रीय विद्यालय संगठन (मुख्यालय)

KENDRIYA VIDYALAYA SANGATHAN

18 संस्थागत एरिया शहीद जीत सिंह मार्ग

18 INSTITUTIONAL AREA, SHAHEED JEEET SINGH MARG

New Delhi/नई दिल्ली -110016 दूरभाष/टेलीफ़ोन 26858570

दिनांक: 05.11.2019


निविदा सूचना

केन्द्रीय विद्यालय संगठन, मानव संसाधन विकास मंत्रालय, भारत सरकार द्वारा वित्त पोषित एक स्वायत्त निकाय है। इसका मुख्यालय 18, संस्थागत क्षेत्र, शहीद जीत सिंह मार्ग, नई दिल्ली -110016 पर स्थित है तथा इसके कार्यालय हेतु पी. ए. सिस्टम की खरीद और उसकी स्थापना के लिए इच्छुक फर्मों से मोहरबंद निविदाएं आमंत्रित की जाती हैं। इस कार्य की अनुमानित लागत 10.00 लाख है !

इच्छुक एवं योग्य फर्म KVS वेबसाइट (www.kvsangathan.nic.in) से निविदा दस्तावेज जारी करने की दिनांक से ही डाउनलोड कर सकती है। अनुलग्नक- "ए" में सूचीबद्ध उपकरणों के अनुसार सभी प्रकार से परिपूर्ण निविदा दस्तावेज निर्धारित टेंडर शुल्क ₹.500/- (रुपये पाँच सौ मात्र) तथा (ई.एम.डी.) बिड सेक्युरिटी ₹.50,000/- (रुपये पचास हजार मात्र) जो केवल डी.डी./पे. ऑर्डर/बैंकर्स चेक इत्यादि के माध्यम से "केन्द्रीय विद्यालय संगठन [मु.], नई दिल्ली" के पक्ष में देय हो के साथ सेवा एवं आपूर्ति अनुभाग, कमरा नं. 213, केन्द्रीय विद्यालय संगठन [मु.], 18, इंस्टीट्यूशनल एरिया, शहीद जीत सिंह मार्ग, नई दिल्ली 110016 पर दिनांक 26.11.2019 को 1.00 बजे तक जमा किया जा सकता है। लिफाफे पर "P.A. System तथा इसकी उपस्थापना हेतु निविदा" लिखा जाना चाहिए।

प्राप्त निविदाएं विधिवत रूप से गठित समिति के द्वारा दिनांक 26.11.2019 को दोपहर बाद 3.30 बजे खोली जाएंगी। फर्म के प्रतिनिधि निविदाएं खोलने के समय उपस्थित रह सकते हैं। निर्धारित तिथि और समय के बाद प्राप्त निविदा पर विचार नहीं होगा और इसे सिरे से खारिज कर दिया जाएगा।

किसी भी विसंगति के मामले में अंग्रेजी संस्करण मान्य होगा ।


(आर के पथिक)

सहायक आयुक्त (प्रशा.)

उपायुक्त [शै./ईडीपी], केन्द्रीय विद्यालय संगठन मुख्यालय, नई दिल्ली से अनुरोध है कि वे इस दस्तावेज को KVS वेबसाइट में अपलोड करें।



केन्द्रीय विद्यालय संगठन (मुख्यालय)

KENDRIYA VIDYALAYA SANGATHAN

18 संस्थागत एरिया शहीद जीत सिंह मार्ग

18 INSTITUTIONAL AREA, SHAHEED JEEET SINGH MARG

New Delhi/नई दिल्ली -110016 दूरभाष/टेलीफोन 26858570


Dated: 05/11/2019

**TENDER FOR PUBLIC ADDRESSING (P.A.) SYSTEM AND IT'S
INSTALLATION**

Kendriya Vidyalaya Sangathan (KVS) is an Autonomous Body funded by the Ministry of Human Resource Development, Government of India. It's Headquarter is situated at 18, Institutional Area, Shaheed Jeet Singh Marg, New Delhi-110016. Sealed tenders are invited by KVS from the interested firms for procurement of Public Addressing (P.A.) System and its installation in the office premises of KVS (HQ). The estimated cost of procurement is Rs. 10.00 Lakhs.

The Tender Document may download from the website (www.kvsangathan.nic.in) of KVS from the date of its publishing. The Tender Document must be completed in all respect as per items enlisted in **Annexure-"A"** of the document and deposited with the Supply & Services Section, Room No. 213, Kendriya Vidyalaya Sangathan, 18, Institutional Area, Snaheed Jeet Singh Marg, New Delhi 110016 latest by 26.11.2019 up to 1.00 P.M. along with requisite tender fee of Rs.500/- [Rs. Five Hundred Only] & EMD[Bid Security] of Rs.50,000/-[Rupees Fifty Thousand Only] through the DD/Pay Order/Bankers' Cheque only drawn in favour of "**Kendriya Vidyalaya Sangathan, New Delhi**". The bid envelope should be **super-scribed** in capital letters as "**TENDER FOR P.A. SYSTEM AND IT'S INSTALLATION**".

The tenders received till 01:00 P.M. on 26.11.2019 shall be opened on 26.11.2019 itself at 3.30 P.M. by the designated Committee. The representatives of the firms are allowed to witness the process of opining of the Bids. The tender received after the stipulated date and time shall not be considered and liable to be rejected summarily.


(आर के पथिक)

सहायक आयुक्त (प्रशा.)

The Deputy Commissioner [Acad.]/EDP, KVS HQ, New Delhi is requested to upload this document in KVS website.

TERMS & CONDITIONS

1. The Tenderers shall fill in all the required details in Tender Form and rates may be quoted in Annexure "A" at Column No.6 & 7 respectively.
2. The tenderers shall be deemed to have studied the items, specifications and details of the supplies to be made within the time schedule. The bidders/their representatives are permitted to be present at the time of the opening of the tenders.
3. The tenderer shall quote rates for specific items, taxes, and cartages etc. as applicable, whatsoever. The rates have to be FOR to KVS HQ. The competent authority reserves the right to decide any of the disputed terms of the tender in the interest of the organisation, if felt necessary.
4. There should not be any overwriting or corrections in the tenders. If the figure is required to be amended, it should be neatly scored out, the revised figure written above and the same attested with signature and date otherwise their tender will be liable for rejection.
5. In the event of acceptance of the quotation and placing of the order for purchase, the articles ordered may be subjected to an inspection by any representative of KVS [HQ] and are liable to be rejected if the articles supplied are not according to the specifications given in tender document.
6. If the supplier fails to supply any quantity of materials within the time stipulated in the supply order, the undersigned will be at liberty to cancel the order and procure the materials from other sources and the EMD amount shall stand forfeited.
7. It would not be binding upon the authority to accept the lowest tender. The authority reserves the right to accept the tender in whole or in part, as may be decided. Any dispute shall be subject to the jurisdiction of appropriate Hon'ble Courts of Delhi.
8. Tax will be deducted at source as per Goods & Services Tax Act and Income Tax Act as per Prevailing rates.
9. Provision will have to be made for maintenance of these equipment's and the firms may furnish their rates for AMC.


10. The work relating to the installation of the equipment would be completed in a week's time.

11. The firm can visit the conference room (if conference room is available) on a mutually convenient working day between 10 A.M to 5.30 P.M. Until the last date of filling the bid.

12. Rates quoted in the BOQ should be inclusive of all related wooden works, civil works and installation charge.

13. Tender Fee/EMD/Bid Security :

- (a) The firms are required to deposit a Tender fee of Rs. 500/- [Rupees Five Hundred Only] & EMD/Bid Security of Rs.50,000/- [Rupees Fifty Thousand Only]. It will be deposited by the tenderer through bank DD/Pay Order (cheque not acceptable) drawn in favour of the "Kendriya Vidyalaya Sangathan (HQ), New Delhi". The tenders without enclosing Bid Security will be rejected summarily. The quotations without Bid Security will not be accepted in accordance with Article 182.1 of the Accounts code of KVS.
- (b) The Bid Security of those firms whose tenders are not approved will be refunded. However, no interest will be payable by Kendriya Vidyalaya Sangathan.
- (c) The Successful bidder will be required to furnish a Performance Security of Rs. 1, 00,000/- [Rupees One Lakhs Only] through Bank Draft/Pay Order [Cheque not acceptable] before taking over the assignment. It should remain valid for a period of Sixty Days beyond the date of completion of all contractual obligations of the supplier including warranty obligations.
- (d) The Bid Security will be refunded to the successful bidder on receipt of Performance Security.
- (e) Kendriya Vidyalaya Sangathan reserves all the rights for placing the order to any reliable supplier at the L1 rates quoted by any other bidder, if deemed fit, in the interest of the organization.
- (f) The payment will only be released after completion of work after due certification of the installation of complete PA system by the Works Branch, KVS.


(आर के पथिक)

सहायक आयुक्त (प्रशा.)

Tender Form		
INFORMATION ON PROFILE OF THE BIDDER		
1	Name of the Firm	
2	Address	
3	Registration Certificate No./Licence No. of the firm, required, if any	
4	Details of bank Account: Name of the bank Address Account No. Savings/Current Account IFSC Code No. Pl enclose a copy of the cheque leaf duly cancelled)	
5	Copy of the PAN Card of Firm	
6	Copy of GST No. (Whichever is applicable)	
7	Details of Cost of tender fee Name of the Bank DD/BC No. Date Amount	
8	Details of EMD/Bid Security Name of the Bank DD/BC No. Date Amount	
9	Copy of the Experience certificates, Award letters and performance certificates of last three years (2016-17, 2017-18, 2018-19).	
10	Whether all paper of tender document and enclosures signed with Seal by the bidder	

Please assign page no. and indicate against each of the above particulars.

Note:

1. All the documents submitted with this form should be self attested and stamped by the bidder.
2. Bidder will not enclose any other additional documents other than asked above.
3. All the pages of the above enclosures will be serially numbered and the total number of enclosed pages should be mentioned as.....(Total No. Of pages enclosed).

It is certified that I/We have read and understood the technical specifications given in the tender document and have quoted the rates accordingly. If any deviation is found in the finished book, the firm is liable to any punitive action, as mentioned in the terms & conditions of the tender.

KENDRIYA VIDYALAYA SANGATHAN [HQ], NEW DELHI
LIST OF ITEMS FOR PROCUREMENT OF LED/PA SYSTEM

Sl.No	Model No.	Description	Qty.	Rate [In Rs.]	Amount [In Rs.]
1	Bosch CCS-CML 900 ultro	Supply, Installation, Testing & Commissioning of Chairman unit Microphone with flexible stem of 480 mm in length & light ring, built in loudspeaker, two Headphone socket, attractive design. Priority button for chairman microphone. Built-in volume control for headphones. Temporary or permanent muting of delegate. Chime tone facility to precede chairman priority calls. Possible-To-Speak functionality/LED. Red indicates microphone is active, white indicates possible to speak.	1		
2	Bosch CCS-DL 900 ultro	Supply, installation, testing & Commissioning of Delegate unit Microphone with flexible stem of 480 mm in length & light ring, built in loudspeaker two Headphone sockets compact, attractive design. Built-in-volume control for headphones. Possible-To-Speak functionality/LED. Red indicates microphone is active, white indicates possible to speak.	14		
3	Bosch CCS-CU 900 CU	Supply, installation, testing & Commissioning of Controller and Power Supply Unit with built in Discussion control without operator & monitor loudspeaker, interfaces the system with external equipment. Central Control Unit for control of all audio. Control Upto 150 contribution units. operation modes- Open / Override / Open mode with auto-switch-off/Voice activated/Chairman only mode/Test mode. Supply voltage: 100 to 240 VAC \pm 10 % . Current consumption: maximum 0.9 A (100 VAC) to 0.3 A (240 VAC), DC supply to contribution units: 24 V \pm 1 V (current limited). Sample frequency :32 KHz, THD at nominal level < 0.5% .	1		
4	Bose	Wall Mount Speaker: Extended range loudspeaker with HF Driver : 2X2.25" (57 mm) & LF driver : 5.25" (133 mm) in a ported enclosure; Frequency Response: 75Hz-18KHZ; Nominal Dispersion : 180° H X 75° V; Power handling capacity : 40W; Nominal Impedance: 8 Ω or 70/100V; Max SPL :105dB; Sensitivity: 85dB; IP Rating: IEC 529 IP55; Installation : Indoor & Outdoor.	2		
5	Bose	Amplifier: Amplifier Power: 200 W @ 4-8 Ω , 70/100V, Frequency Response: 20 Hz-20 KHz; Gain: 50 db THD+N:<0.04% , ; Crosstalk:> 85 dB @ 1kHz, >65 dB @ 20 kHz; A/D and D/A Converters 24-bit/ 48 kHz; Audio Latency :1 ms; LED status indicators: Solid green: Power is on. Blinking green: Units is in standby mode. Solid amber: Thermal Fault Solid red: Supply fault; Input Channel: 2 unbalanced, 2 balanced.	1		
6	RCF Live-Pad 6X	Analog Mixer: 6 Channel Mixing Console with effects have 2 mono input & stereo input, 3 band/2 band EQ, 1 FX send, internal Digital Effects 99 preset, External PSU 18~ 1000 mA, frequency Response 10 Hz÷ 55KHz, power consumption (MAX) 17 W	1		
7	Branded	Supply and laying of Two core 1.5 sq mm speaker cable.	50 Mtr.		
8	Branded	Supply and laying of 2 core PVC insulated shielded microphone cable.	50 Mtr.		
9	Branded	Supply Installation, testing & Commissioning of Conference Cable for connecting conference units.	50 Mtr.		
10	Reputed	Supply Installation, Testing & Commissioning of Connectors and other accessories as required.	1		
11	Custom	Supply Installation, Testing & Commissioning of 9U Equipment Rack.	1		